



STREMA[®]
MASCHINENBAU GMBH

ROTARY-ARM STRETCH WRAPPER

A 5000

SERIES
GEN3

High-end packaging.

Up to 150 pallets per hour.

3RD GENERATION

2026

2ND GENERATION

2008

1ST GENERATION

1999

STREMA[®] Fully automatic machines

**INNOVATION
IN MOTION**

STREtch MACHines directly from the manufacturer.



www.strema.de



TOP
FEATURES



EFO 02 pre-stretching with SMART-Load

Dynamic pre-stretching via our two-roll pre-stretch system with individually driven three-phase motors. Minimal edge pressure thanks to electronic dancer bar position control.

High-bay safe welding

Using impulse welding across the entire film width, the pallet is wrapped without excess film ends while ensuring no contact with the product.



Automatic performance adjustment

The working speed adapts to the actual pallet volume - less wear and tear with longer, trouble-free operation.



STREtch MACHines directly from the manufacturer.



www.strema.de



DUAL HEAD

IMAGE ON THE COVER PAGE

Rotating arm-based stretch wrapping system with two stretch heads. A second stretch head significantly increases performance and availability. If one head fails, the remaining head takes over. Up to 150 pallets per hour – the absolute top performance among rotary-arm pallet wrappers.

150



BASIC VARIANT

Reliable load securing at a rate of up to 90 pallets per hour.

90



B-VERSION

Designed with hold-down device and integrated film clamping and cutting device – enables wrapping to begin and end at the top of the pallet. This allows for a wide variety of wrap patterns.

90



UPSTREAM COVER APPLICATOR

For dust and removal protection. Ideal for high-volume production or pallets of varying lengths. Optional handling aid for ergonomic replacement of the cover film without exerting force.

140



INTERNAL COVER APPLICATOR

For rainproof packaging. In the weatherproof line, the dual head model achieves a throughput of up to 80 pallets per hour.

80



AUTOMATIC FILM CHANGE SYSTEM

Dual head with automatic film change system. Allows a range of 6 film rolls without operator intervention. 4 film rolls in the magazine and 2 film rolls in the machine.

150



STREMA[®]
MASCHINENBAU GMBH



FULL-AUTOMATIC
EDGE
PROTECTION
FEEDER



Find the right stretch wrapping solution for your application.

Contact us by email or phone.

info@strema.de

+49 9661 8702 0



STREtch MACHines directly from the manufacturer.



Performance level



Number of stretch heads



Weatherproof



Dustproof




Pallets per hour

Directly from the manufacturer

Made In Germany



LAYOUT DRAWING



A Top view A 5000B with dual head and upstream cover applicator

B Side view A 5000B with dual head and upstream cover applicator



SERVICE

DIGITAL · ON-SITE THE CUSTOMER IS OUR FOCUS

As a STREMA® customer, you benefit from our fast and hassle-free service.

+ All machine parts come directly from the manufacturer + Personal contacts

+49 9661 8702-0

STREMA® Maschinenbau GmbH

Kauerhofer Straße 4a-6

92237 Sulzbach-Rosenberg, Germany

info@strema.de

www.strema.de

